

CHARACTERISTICS & RATINGS

Early Relative Maturity
14-16 Seeds/Lb (1,000) – check seed bag
Cream Grain Color
Semi-Open Head Type
30-36" Plant Height
Red Plant Color

| Yield for Maturity | | | | | | | | | 1 |
|--------------------|--------------|---|---|---|---|---|---------|------------|----------|
| Head Exertion | | | | | | | | 2 | |
| Plant Uniformity | | | | | | | | | 1 |
| Seedling Vigor | | | | | | | 3 | | |
| Root Lodging | | | | | | | | | 1 |
| Drought Tolerance | | | | | | | | | 1 |
| Test Weight | | | | | | | | 2 | |
| Threshability | | | | | | | | 2 | |
| Downy Mildew (Ra | ce 3) | | | | 5 | | | | |
| | 10 9 Poor | 8 | 7 | 6 | 5 | 4 | 3 Ex | 2 celle | 1 ent |

Based on Alta Seeds research trials relative to other Alta Seeds products.

Recommended Seeding Rates: Vary depending on local growing conditions. Please see your Alta Seeds retailer for local recommendations.



FIELD POSITIONING

| Tough Dryland | HS |
|---------------------------------|----|
| High Yield Dryland Environments | HS |
| Limited Irrigation | HS |
| Full Irrigation | S |
| High pH Soils Iron Chlorosis | HS |
| Early Planting | S |
| No-Till | HS |
| Poorly Drained Soils | S |
| Anthracnose Prone Area | S |
| Downy Mildew Area | MA |
| Head Smut Prone Area | MA |
| Sugarcane Aphid | HT |

Observed Suitability and Field-by-Field Positioning $HS = Highly Suitable \qquad S = Suitable$ $MA = Manage Appropriately \qquad X = Poor Suitability$ $HT = High Tolerance \qquad MT = Medium Tolerance$